

Specification table for the E-Series inline filters.

Every Omnipure filter undergoes rigorous testing and independent verification for performance. Each filter is rated at .5 gpm with a maximum pressure of 125 psi and a maximum temperature of 100° F. Chlorine reduction Class 1.

Granular Media

Granular Activated Carbon 20x50 Mesh

- Taste, odor & chlorine reduction
- Pre R.O.
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5328	2.5" x 6"	1250 GALLONS	14.7
E5428	2.5" x 8"	1500 GALLONS	21.6
E5528	2.5" x 10"	2000 GALLONS	28.6
E5628	2.5" x 12"	2500 GALLONS	35.5
E5728	2.5" x 14"	3000 GALLONS	41

Acid Washed Granular Activated Carbon 12x40 Mesh

- Taste, odor & chlorine reduction
- Post R.O.
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5333	2.5" x 6"	1250 GALLONS	14.7
E5433	2.5" x 8"	1500 GALLONS	21.6
E5533	2.5" x 10"	2000 GALLONS	28.6
E5633	2.5" x 12"	2500 GALLONS	35.5
E5733	2.5" x 14"	3000 GALLONS	41

Scale Inhibitor

- GAC & polyphosphate
- Taste & odor reduction
- Scale inhibitor
- Ideal for equipment protection
- Class 1 filtration media
- Maximum 6-month service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5386	2.5" x 6"	1000 GALLONS	14.7
E5486	2.5" x 8"	1250 GALLONS	21.6
E5586	2.5" x 10"	1500 GALLONS	28.6
E5686	2.5" x 12"	2000 GALLONS	35.5
E5786	2.5" x 14"	2500 GALLONS	41

Block Media

Sediment Reduction

- Polypropylene depth filtration
- Reduction of sediment as small as 5 micron
- Protects downline equipment

Two and one half inch diameter filter bodies.

E5305	2.5" x 6"
E5405	2.5" x 8"
E5505	2.5" x 10"
E5605	2.5" x 12"
E5705	2.5" x 14"

NOT CURRENTLY ANSI/NSF LISTED

Block GAC 1 Micron

- Taste, odor & chlorine reduction
- Cyst reduction
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5320	2.5" x 6"	1500 GALLONS	14.7
E5420	2.5" x 8"	2000 GALLONS	21.6
E5520	2.5" x 10"	2500 GALLONS	28.6
E5620	2.5" x 12"	3000 GALLONS	35.5
E5720	2.5" x 14"	3500 GALLONS	41

Block GAC 10 Micron

- Taste, odor & chlorine reduction
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5321	2.5" x 6"	1500 GALLONS	14.7
E5421	2.5" x 8"	2000 GALLONS	21.6
E5521	2.5" x 10"	2500 GALLONS	28.6
E5621	2.5" x 12"	3000 GALLONS	35.5
E5721	2.5" x 14"	3500 GALLONS	41

NOT CURRENTLY ANSI/NSF LISTED

Specialty Block Media

Block GAC 1m with Lead Specific Media

- Taste, odor & chlorine reduction
- Cyst reduction
- Lead Reduction
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5315	2.5" x 6"	750 GALLONS	14.7
E5415	2.5" x 8"	1000 GALLONS	21.6
E5515	2.5" x 10"	1250 GALLONS	28.6
E5615	2.5" x 12"	1500 GALLONS	35.5
E5715	2.5" x 14"	2000 GALLONS	41

NOT CURRENTLY ANSI/NSF LISTED

Block GAC 1m with Scale Inhibitor

- GAC with polyphosphate
- Taste, odor & chlorine reduction
- Cyst reduction
- Scale inhibitor
- Ideal for equipment protection
- Class 1 filtration media
- Maximum 6-month service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5320-P	2.5" x 6"	1000 GALLONS	14.7
E5420-P	2.5" x 8"	1500 GALLONS	21.6
E5520-P	2.5" x 10"	2000 GALLONS	28.6
E5620-P	2.5" x 12"	2500 GALLONS	35.5
E5720-P	2.5" x 14"	3000 GALLONS	41

NOT CURRENTLY ANSI/NSF LISTED

Block GAC 10 Micron with Scale Inhibitor

- Taste, odor & chlorine reduction
- Class 1 filtration media
- Maximum one-year service life

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5321-P	2.5" x 6"	1000 GALLONS	14.7
E5421-P	2.5" x 8"	1500 GALLONS	21.6
E5521-P	2.5" x 10"	2000 GALLONS	28.6
E5621-P	2.5" x 12"	2500 GALLONS	35.5
E5721-P	2.5" x 14"	3000 GALLONS	41

NOT CURRENTLY ANSI/NSF LISTED

Block GAC 1m with Lead Specific Media and Scale Inhibitor

- Taste, odor & chlorine reduction
- Cyst reduction
- Lead reduction
- Class 1 filtration media
- Inhibits scaling

Two and one half inch diameter filter bodies.

MODEL NUMBER	BODY SIZE	SERVICE LIFE	CUBIC INCH VOLUME
E5315-P	2.5" x 6"	750 GALLONS	14.7
E5415-P	2.5" x 8"	1000 GALLONS	21.6
E5515-P	2.5" x 10"	1250 GALLONS	28.6
E5615-P	2.5" x 12"	1500 GALLONS	35.5
E5715-P	2.5" x 14"	2000 GALLONS	41

NOT CURRENTLY ANSI/NSF LISTED

Test Information: The E-Series filter housing and fittings have been tested for performance under NSF Standard 42. Tests included *Hydro Static Testing* at 300 psig and *Cycle Testing* of 100,000 repetitions from 0 to 150 psig. Complete test results are available from OMNIPURE. Omnipure products have been tested and listed under Standard 42 for taste, odor and chlorine reduction; or particulate reduction; or have been materials certified. All filters should be installed on cold water lines only. **NOTE:** Activated carbon filters are not intended to be used where the water is microbiologically unsafe or with water of unknown quality without adequate disinfection before or after the unit.

Warranty Information: Omnipure Filter Company (Omnipure) warrants that the products delivered will be free from any defects in workmanship or materials. Further, the warranty provided herein applies, only when used within the products specifications and service life, from the date of installation, beyond which time or use Omnipure is absolved of any and all liability for any use of the product. In the event of defect or non-conformity, buyer shall promptly notify Omnipure in writing, supplying proof of purchase dates, installation dates, and will protect and retain the products for investigation, or Omnipure is absolved of any and all liability for any use of the product. There are no other warranties, either merchantability or fitness, either expressed or implied.